

Revision Date: 03-26-2018

# SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

## 1. Identification

Product identifier: Sulfuric Acid

Other means of identification

**CAS No.:** 7664-93-9

#### Recommended restrictions

**Recommended use:** For Laboratory, Research or Manufacturing Use.

Restrictions on use: Not determined.

#### Details of the supplier of the safety data sheet

#### Manufacturer

Company Name: Quality Environmental Containers, Inc.

Address: 607 Industrial Park Road

Beaver, WV 25813

Telephone: Customer Service: 304-255-3900

Fax: 304-255-3901 E-mail: info@qecusa.com

#### **Emergency telephone number:**

CHEMTREC: 1-800-424-9300 within US and Canada

## 2. Hazard(s) identification

## **Hazard Classification**

#### **Physical Hazards**

Corrosive to metal Category 1

# **Health Hazards**

Skin Corrosion/Irritation Category 1A
Serious Eye Damage/Eye Irritation Category 1
Carcinogenicity Category 1A
Specific Target Organ Toxicity - Category 3<sup>1</sup>

Single Exposure

# **Target Organs**

Respiratory tract irritation.

#### **Unknown toxicity - Health**

Acute toxicity, oral 0 %
Acute toxicity, dermal 90.5 %
Acute toxicity, inhalation, vapor 90.5 %



Revision Date: 03-26-2018

Acute toxicity, inhalation, dust or mist

90.5 %

#### **Label Elements**

#### **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** May be corrosive to metals.

Causes severe skin burns and eye damage.

May cause respiratory irritation. May cause cancer if inhaled. Harmful to aquatic life.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Keep only in original

packaging. Wash thoroughly after handling. Do not breathe

dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated

area. Wear protective gloves/protective clothing/eye protection/face

protection.

Response: IF exposed or concerned: Get medical advice/attention. Absorb spillage to

prevent material damage. Immediately call a POISON CENTER/doctor. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air

and keep comfortable for breathing.

Storage: Store locked up. Store in a corrosion-resistant container with a resistant

inner liner. Store in a well-ventilated place. Keep container tightly closed.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

## 3. Composition/information on ingredients

#### **Substances**

Chemical Identity	CAS number	Content in percent (%)*
Sulfuric acid	7664-93-9	90 - 100%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.



Revision Date: 03-26-2018

#### 4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Call a physician or poison control center immediately. Do NOT induce

vomiting. If vomiting occurs, keep head low so that stomach content doesn't

get into the lungs.

**Inhalation:** Move to fresh air. Call a physician or poison control center immediately.

Apply artificial respiration if victim is not breathing If breathing is difficult,

give oxygen.

**Skin Contact:** Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately. In case of irritation from airborne exposure, move to fresh air.

Get medical attention immediately.

#### Most important symptoms/effects, acute and delayed

**Symptoms:** Corrosive to skin and eyes.

Hazards: None known.

#### Indication of immediate medical attention and special treatment needed

**Treat symptomatically.** Symptoms may be delayed.

#### 5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted. In case of fire and/or explosion

do not breathe fumes.

#### Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Foam, carbon dioxide or dry powder.

Unsuitable extinguishing

media:

Do not use water as an extinguisher.

Specific hazards arising from

the chemical:

Fire may produce irritating, corrosive and/or toxic gases.

# Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Fight fire from a protected location. Use water SPRAY only to cool containers! Do not put water on leaked material. Cool containers exposed to flames with water until well after the fire is out.



Revision Date: 03-26-2018

Special protective equipment for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods and material for containment and cleaning up:

Neutralize spill area and washings with soda ash or lime. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

**Notification Procedures:** 

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.

**Environmental Precautions:** 

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling:

Do not get in eyes, on skin, on clothing. Do not taste or swallow. Wash hands thoroughly after handling. Do not eat, drink or smoke when using the product. Use caution when adding this material to water. Add material slowly when mixing with water. Do not add water to the material; instead, add the material to the water. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities:

Do not store in metal containers. Keep in a cool, well-ventilated place. Keep container tightly closed. Store in a dry place.

## 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values	Source
Sulfuric acid - Thoracic fraction.	TWA	0.2 mg/m3	US. ACGIH Threshold Limit Values (2011)
Sulfuric acid	REL	1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	1 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

Appropriate Engineering Controls

No data available.



Revision Date: 03-26-2018

# Individual protection measures, such as personal protective equipment

**General information:** Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area.

**Eye/face protection:** Wear safety glasses with side shields (or goggles) and a face shield.

**Skin Protection** 

Hand Protection: Chemical resistant gloves

**Other:** Wear suitable protective clothing.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Chemical

respirator with acid gas cartridge.

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

#### 9. Physical and chemical properties

Appearance

Physical state: Liquid
Form: Liquid
Color: Colorless
Odor: Odorless

Odor threshold: No data available.

pH: 0.3 (1 N aqueous solution)

Melting point/freezing point: 3 °C Initial boiling point and boiling range: 337 °C

Flash Point: not applicable

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available. Flammability limit - lower (%): No data available. Explosive limit - upper (%): No data available. Explosive limit - lower (%): No data available. Vapor pressure: No data available. Vapor density: No data available. Density: 1.84 g/ml (20 °C) Relative density: 1.84 (20 °C)

Solubility(ies)

Solubility in water:
Solubility (other):

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Miscible with water.

No data available.

No data available.

No data available.



Revision Date: 03-26-2018

Viscosity: No data available.

# 10. Stability and reactivity

**Reactivity:** Reacts violently with strong alkaline substances.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur. Material reacts with water.

**Conditions to avoid:** Moisture. Heat. Contact with incompatible materials.

**Incompatible Materials:** Water. Cyanides. Strong oxidizing agents. Strong reducing agents. Metals.

Halogens. Organic compounds. Potassium.

**Hazardous Decomposition** 

**Products:** 

Oxides of sulfur.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation:** May cause damage to mucous membranes in nose, throat, lungs and

bronchial system.

**Skin Contact:** Causes severe skin burns.

**Eye contact:** Causes serious eye damage.

**Ingestion:** May cause burns of the gastrointestinal tract if swallowed.

#### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix (Rat): 2,183.67 mg/kg

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** Causes severe skin burns.

Serious Eye Damage/Eye Irritation

**Product:** Causes serious eye damage.

Respiratory or Skin Sensitization

**Product:** Not a skin sensitizer.



Revision Date: 03-26-2018

Carcinogenicity

**Product:** May cause cancer.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Sulfuric acid Overall evaluation: 1. Carcinogenic to humans.

# **US. National Toxicology Program (NTP) Report on Carcinogens:**

Sulfuric acid Known To Be Human Carcinogen.

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

#### **Germ Cell Mutagenicity**

In vitro

**Product:** No mutagenic components identified

In vivo

**Product:** No mutagenic components identified

Reproductive toxicity

**Product:** No components toxic to reproduction

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Respiratory tract irritation.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** None known.

**Target Organs** 

Specific Target Organ Toxicity - Single Exposure: Respiratory tract irritation.

**Aspiration Hazard** 

Product: Not classified

Other effects: No data available.

## 12. Ecological information

# **Ecotoxicity:**

# Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Sulfuric acid LC 50 (Goldfish (Carassius auratus), 96 h): 17 mg/l Mortality

LC 50 (Starry, european flounder (Platichthys flesus), 48 h): 100 - 330 mg/l

Mortality

LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 42 mg/l Mortality

**Aquatic Invertebrates** 

**Product:** No data available.



Revision Date: 03-26-2018

Specified substance(s):

Sulfuric acid LC 50 (Common shrimp, sand shrimp (Crangon crangon), 48 h): 70 - 80

mg/l Mortality

LC 50 (Aesop shrimp (Pandalus montagui), 48 h): 42.5 mg/l Mortality LC 50 (Cockle (Cerastoderma edule), 48 h): 200 - 500 mg/l Mortality

#### Chronic hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

**Persistence and Degradability** 

**Biodegradation** 

**Product:** There are no data on the degradability of this product.

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

**Mobility in soil:** The product is water soluble and may spread in water systems.

Other adverse effects: The product contains a substance which is harmful to aquatic organisms.

The product may affect the acidity (pH-factor) in water with risk of harmful

effects to aquatic organisms.

13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.

#### 14. Transport information

DOT

UN Number: UN 1830 UN Proper Shipping Name: Sulfuric acid

Transport Hazard Class(es)

Class: 8
Label(s): 8
Packing Group: II
Marine Pollutant: No



Revision Date: 03-26-2018

Special precautions for user: Not determined.

**IMDG** 

UN Number: UN 1830

UN Proper Shipping Name: SULPHURIC ACID (WITH MORE THAN 51% ACID)

Transport Hazard Class(es)

Class: 8 Label(s): 8

EmS No.: F-A, S-B

Packing Group: II Marine Pollutant: No

Special precautions for user: Not determined.

**IATA** 

UN Number: UN 1830
Proper Shipping Name: Sulphuric acid

Transport Hazard Class(es):

Class: 8
Label(s): 8
Packing Group: II
Marine Pollutant: No

Special precautions for user: Not determined.

## 15. Regulatory information

#### **US Federal Regulations**

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

# CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> <u>Reportable quantity</u>

Sulfuric acid 1000 lbs.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Corrosive to metal

Skin Corrosion or Irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

# SARA 302 Extremely Hazardous Substance

Reportable

Chemical Identity quantity Threshold Planning Quantity

Sulfuric acid 1000 lbs. 1000 lbs.

# SARA 304 Emergency Release Notification

Chemical Identity Reportable quantity

Sulfuric acid 1000 lbs.

#### SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u> <u>Threshold Planning Quantity</u>

Sulfuric acid 500 lbs.



Revision Date: 03-26-2018

#### SARA 313 (TRI Reporting)

Reporting Reporting threshold for manufacturing and

Chemical Identityother usersprocessingSulfuric acid10000 lbs.25000 lbs.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Chemical Identity Reportable quantity

Sulfuric acid 10000 lbs.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):

<u>Chemical Identity</u> <u>Reportable quantity</u>

Sulfuric acid Reportable quantity: 1000 lbs.

#### **US State Regulations**

## **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Sulfuric acid Carcinogenic.

## US. New Jersey Worker and Community Right-to-Know Act

## **Chemical Identity**

Sulfuric acid

#### US. Massachusetts RTK - Substance List

#### **Chemical Identity**

Sulfuric acid

#### US. Pennsylvania RTK - Hazardous Substances

# **Chemical Identity**

Sulfuric acid

#### **US. Rhode Island RTK**

# **Chemical Identity**

Sulfuric acid

## International regulations

## Montreal protocol

not applicable

#### Stockholm convention

not applicable

#### **Rotterdam convention**

not applicable

## **Kyoto protocol**

not applicable




Revision Date: 03-26-2018

## **Inventory Status:**

Australia AICS: On or in compliance with the inventory Canada DSL Inventory List: On or in compliance with the inventory EINECS, ELINCS or NLP: On or in compliance with the inventory Japan (ENCS) List: On or in compliance with the inventory China Inv. Existing Chemical Substances: On or in compliance with the inventory Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory Philippines PICCS: On or in compliance with the inventory US TSCA Inventory: On or in compliance with the inventory New Zealand Inventory of Chemicals: On or in compliance with the inventory Mexico INSQ: On or in compliance with the inventory Taiwan Chemical Substance Inventory: On or in compliance with the inventory

# 16.Other information, including date of preparation or last revision

#### **NFPA Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible W: Water-reactive

**Issue Date:** 03-26-2018

**Revision Information:** Not relevant.

Version #: 2.3

**Source of information:** Sources of information used in preparing this SDS included one or more of

the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other

manufacturer's SDSs and other sources, as appropriate.

Further Information: No data available.



Revision Date: 03-26-2018

#### Disclaimer:

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW. QUALITY ENVIRONMENTAL CONTAINERS (QEC) EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of QEC's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, QEC DISCLAIMS LIABILITY FOR, AND BY USING QEC'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL QEC BE LIABLE FOR, SPECIAL. INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.